

# Backyard Birch Tapping & Syrup Basics

by Julie Cascio and Valerie Barber

**FNH-00150**

Every autumn birch trees collect and store nutrients in their roots to help with new tree growth the next spring. These nutrients are contained within the sap that runs from the roots through the whole tree during the freeze/thaw cycle in spring. When the sap begins to flow, it can be collected for use. To collect the sap, a spout, called a spile, is inserted into a hole drilled into the tree. The spile directs the sap into a bucket. This sap can be drunk fresh as a spring tonic; used in place of water to make tea, coffee or other beverages; collected and made into carbonated drinks, beer or wine; or boiled down to make syrup. The sap should be kept below 41°F (refrigerator temperatures) for no more than six days, or it can be frozen for future use.

## Tapping Instructions

Around mid-April, when the days warm and the ground begins to thaw, the sap begins to run. Day-time temperatures consistently above 50 mean that the sap will run soon. Sap flow occurs as root pressure changes and stops when leaves develop. Sap seems to run best when snow is still on the ground.

Choose birch trees that are eight inches in diameter or larger to tap. **Do not** tap trees that have ever



been exposed to pesticides, petroleum or other toxic substances. This includes trees along a maintained road, within a dog yard or in other locations that have soil pollutants. Choose accessible trees with healthy crowns and healthy bark to tap.

Do not use trees with conks or mushrooms growing on them; these are dead or dying trees. Place only one tap in a tree each year.



Photo by Dulce BenEast

The **drill bit** must be sharp, shiny clean and matched to the drill. Use a  $\frac{7}{16}$ -inch or  $\frac{5}{16}$ -inch drill bit to correspond to the size of the spile being used. A screw-lead auger bit with sharp spurs is fine for a hand brace or low-speed power drills, but a commercial maple-tapping bit is the best for high-speed power drills. Drill bits should be cleaned, polished and soaked in rubbing alcohol before tapping.

Sterilize **spiles** by boiling before and after use. Dry thoroughly and store in sealed containers. Discard any cracked or rusty spiles. Spiles may have a hook to hold a bucket or an opening that attaches to plastic tubing. If using tubes to collect sap, use food-grade tubing. Do not use garden hoses. The tubing should fit snugly onto the spile.

Pull any taps that are not producing. Check to see if the hole is blocked by wood chips or if the spout is touching the end of the tap hole. The hole may be redrilled with a clean, sterile bit and a new, sterile

spout put in. Or, another part of the tree may be drilled.

How many trees you choose to tap will depend on how you plan to use the sap. Also consider the space you have available to store the sap, either at 41°F or below for a short time or below freezing for a longer period of time. The time you have available to collect the sap and cook it down is another consideration.

### **To gather the sap**

Select a spot on the trunk about three to four feet from the base of the tree, in the shade as much as possible. Drill approximately 1½ inches into the tree at a slight upward angle to facilitate downward flow of the sap. After the hole is drilled, pull out the drill. Do not put the drill in reverse.



The wood drilled into should be clear and white. If there is brown wood in the shavings, do not use that tree as it is dead or dying. Clean any wood shavings out of the hole by rinsing out with sterile water. Tap the spout gently into the tree with

a rubber mallet or hammer. The spout needs to be tight enough to hold the weight of the container full of sap but not so tight that it splits the wood around the hole.

Use clean, food-grade plastic or stainless steel containers for collecting the sap. Do not use any container that has held toxic materials (e.g., car oil, fuels, chemicals, etc.) Food-grade buckets or

jugs or reinforced plastic bags may be used to gather the sap. Thoroughly wash containers, rinse with hot water and let air dry. Keep rain or snow out of the container with a lid or by zipping the bag closed.

Collect the sap daily, or more often if the container is small and the sap is running well. Pour the sap through a sieve to strain out any bugs, leaves or bark. Sap is quite perishable. Keep the collected sap at 41°F or colder and out of direct sun. You will need a lot of sap if you intend to make syrup. To save space, concentrate it by cooking it down periodically; this evaporates excess liquid and concentrates the solids, such as the sugars in the sap.



### **Yield**

Productive trees will yield an average of a gallon of sap per day. Some trees may produce more and some less. Sap is refreshing and has trace nutrients; it should be crystal clear and taste like slightly sweet water. If the sap from any tree is discolored, discard it and pull out the spout.

The sap typically runs from 14–21 days. This will vary depending on the weather each year.

The sap has a sugar content of 0.8–1.5 percent. It takes 100 or more gallons of sap to make 1 gallon of syrup at a concentration of 67 percent sugar (or 67 on the brix scale).

When the leaves on the trees start to appear, the sugar is gone from the sap and the season is over. Once the sap appears cloudy or sour-tasting, the spile should be pulled. Current recommendations are to leave the hole unplugged; the tree will eventually heal the taphole. Alternatively, a hardwood dowel or cork plug may be used to plug the hole.

### **End of season**

Pull the spile and clean the hole by spraying with sterilized water. Clean the spiles in soapy water, rinse and store for next year.



Photo by Dulce BenEast



Birch trees have thin bark, a shallow root system and an average lifespan of more than 100 years. To help protect the tree for a sustainable harvest of sap, drill a new hole in another area of the tree in future years. Drill successive holes in a spiral pattern up and around the tree at about 4-inch intervals and give the tree a year off after a few years.

### ***Nutrients in the birch sap***

Birch sap carries nutrients necessary for the growth of the birch. It contains fructose, glucose, a slight amount of sucrose, fruit acids, amino acids, vitamin C, potassium, calcium, phosphorous, magnesium, manganese, zinc, sodium and iron. Malic, phosphoric, succinic and citric acids are present in birch sap. Nutrient values can vary widely during the season from one year to another and from tree to tree.

## **Making Birch Syrup**

More than 100 gallons of sap are needed to make just 1 gallon of syrup. It will take the whole season to get enough sap to make syrup when just a couple of trees are tapped. Sap is quite perishable, so it must be used immediately or kept below 41°F for no longer than a few days. The sap may be frozen for future use. Since it takes a lot of sap to make syrup, partially concentrating the sap collected every day or two is a more efficient use of refrigerated storage space. If birch syrup is the intended final product, evaporate the sap to approximately the same concentration each time.

### ***Concentrate sap by heating***

Choose a large stainless steel or enamel pot and a heat source that will support the pot. The heat source may be a gas burner or a wood fire. Have plenty of fuel on hand as it takes a long time to remove excess liquid and concentrate the sap. Boiling should be done outdoors or in a well-ventilated area to allow the large amounts of steam to escape.

#### ***Partial freezing may help concentrate sap***

If the sap has partially frozen in the pail, pour off the liquid and save it, then discard the ice. Nature has concentrated the sap! The sugars will stay suspended in the liquid; the ice is just water. You can also partially freeze the sap in the freezer, if space is available (be careful not to freeze the sap solid).

A large, shallow pan or two are better than one big, deep one. Water takes longer to evaporate when the pot is deep, which darkens the syrup. Do not use aluminum or cast iron pots or pans.



Bring the sap to a hard, rolling boil to evaporate the water as quickly as possible. As the sap boils, scum will form on the surface and stick to the sides of the pans. Skim off this scum as it forms and discard it. When the sap is concentrated to the level you want for the day, strain the hot sap through a filter to remove grit and scum. A coffee filter held in a strainer or wool or synthetic maple syrup filters will work. Fill a sterilized canning jar or other container with the hot (180°–190°F), concentrated sap, cover with a tight-fitting lid and chill. Cool and store at below 41°F. This will hold the sap about two weeks. By this time there should be enough concentrated sap gathered to finish the syrup. This concentrated sap is also delicious to drink hot or cold or use as a base to make other beverages or marinades.

Scrape the crust off the sides of the pan and wash the pan every day after use.

### ***Finish the syrup***

At the end of the season, pour all of the previously concentrated sap into one large pan and heat. As it cooks it will condense. Keep at least 2 inches of liquid in the bottom of the pot. Use progressively smaller pots to maintain the liquid depth of 2 inches or more. Use a candy thermometer at this stage to monitor temperature.

The sugar content of the syrup should be 66–67 brix, as measured with a refractometer or hydrometer. If you do not have these tools, bring the syrup to 225°–28°F to achieve that approximate sugar density. Be watchful, as it is easy to burn the syrup at this stage; heating past this temperature is likely to burn the syrup.

Hot syrup is very thin, so it will be hard to tell if it is the desired thickness until it cools. For a thick-



*Use progressively smaller pots to maintain the liquid depth of 2 inches or more. Use a candy thermometer at this stage to monitor temperature.*

er syrup, reheat the syrup to about 180°F, stirring constantly. As long as steam is rising, more water is being eliminated. Be aware that reheating will darken the syrup. Adding fresh sap to already-concentrated sap as you boil it down will darken the color, and the flavor, of the syrup.

If a hydrometer or a syrup refractometer is available, use the brix scale to check the density of the syrup. The sugar content should be 66–67 percent brix.

### **Filter**

Filter the hot syrup before filling the containers for storing. There is a natural build-up of bitter, gritty minerals in boiling sap. This grit is called niter sand. Use several layers of paper filters that are cut to the size of the strainer. A basket strainer (sieve) works well to hold the filter.

### **Fill containers**

Fill hot, sterilized canning jars with hot syrup (180–190°F). Leave ¼ inch headspace. Add sterilized lids and screw the band on the jar just finger tight. This will create a vacuum to seal and keep the syrup for long-term storage. Separate the jars to allow air to circulate between them. After the sealed jars are room temperature, store them in a cool, dry place for up to two years. Refrigerate after opening.

A family tapped two birch trees in their yard using nylon spiles. Over the course of 11 days, 20 gallons of sap were collected. (Some sap was lost when the buckets tipped over from sitting at an angle on the roots of the tree.) Sap was collected every day. Every two days about 4 gallons of sap were reduced to a half-gallon by boiling in a wide, stainless steel pot on a propane burner. These half-gallon jars of concentrated sap were stored in a second refrigerator. At the end of the 12 days, the six half-gallon jars were combined and boiled down, using progressively smaller pots as the level of the concentrated sap dropped. The sap was brought to 223°F and then poured through a coffee filter into sterilized jars. At the end, the syrup came up to temperature very quickly and boiled over. Twenty minutes were spent every day collecting the sap buckets and putting it in a cold spot. It took about two hours to concentrate the sap every two nights and another two hours when finishing the sap to make syrup. About 16 hours of labor and 7 gallons of propane were used to concentrate and boil down the sap to make syrup. The yield was 14 ounces of birch syrup. The family found it was less expensive to buy the syrup, but the experience was a fun family-oriented one. They plan to gather the sap for other recipes next year.

[www.uaf.edu/ces](http://www.uaf.edu/ces) or 1-877-520-5211

**Julie Cascio**, Extension Faculty, Health, Home and Family Development, and **Valerie Barber**, Forestry Resource Specialist



Published by the University of Alaska Fairbanks Cooperative Extension Service in cooperation with the United States Department of Agriculture. The University of Alaska Fairbanks is an affirmative action/equal opportunity employer and educational institution.

©2015 University of Alaska Fairbanks.

2-14/JC-VB/3-15

Revised July 2014