

RELATED REFERENCES

- A scaling approach for quantifying the net CO₂ flux of the Kuparuk River basin, Alaska. *Global Change Biology*, 6, Suppl.1:160-173, Blackwell Science, Oxford, United Kingdom, 53 refs., 2000, Dec. 2000 ISSN: 1354-1013 Geographic Area: United Kingdom.
- Abbott, M.B., Stafford, T.W. Radiocarbon geochemistry of modern and ancient Arctic lake systems, Baffin Island, Canada.
- American Water Resources Association Technical Publication Series TPS, 00-1, 25-30, Bethesda, MD, United States, illus. incl. Sketch maps, 8 refs., 2000, 2000 ISSN: 0731-9789.
- Anderson, Betty A., Johnson, Charles B., Cooper, Brian A., Smith, Louise N., Stickney, Alice A. Habitat associations of nesting spectacled eiders on the Arctic Coastal Plain of Alaska.
- Anisimov, O.A., Shiklomanov, N.I., Nelson, F.E. Variability of seasonal thaw depth in permafrost regions: a stochastic modeling approach. *Ecological Modelling*, 153(3), 217-227, 2002 ISSN: 0304-3800. Geographic Area: Arctic, Alaska, Kuparuk River.
- ARCUS, 1998. Towards Prediction of the Arctic System: predicting future states of the arctic system on seasonal-to-century time scales by integrating observations, process research, modeling, and assessment. Fairbanks, AK. 54.
- Arendt, A., K. Echelmeyer, W. Harrison, C. Lingle, and V. Valentine. Submitted. Rapid wastage of Alaska glaciers and their contribution to rising sea level. Submitted to Science.
- Benson, C. S., Hinzman, Larry D., Kane, D. L., McNamara, J., Zhang, Z. An overview of a nested watershed study in Arctic Alaska. 12th northern research basins symposium/workshop: Aug. 23, 1999: Reykjavik, Iceland, Nordic Hydrology, Munksgaard, Copenhagen, Denmark, 31. 4-5, 245-266, 3 tables, 2000.
- Benson, Carl S., Carr, Anne, Hinzman, Larry D., Kane, Douglas L., Liston, Glen E., McNamara, James, Nolan, Matt A., Sturm, Matthew, Yang, Daqing Estimating snowpack distribution over a large Arctic watershed. AWRA's 2000 spring specialty conference, Water resources in extreme environments: May 1-3, 2000: Anchorage, AK, United States, American Water Resources Association Technical Publication Series TPS, 00-1, 13-18.
- Billings, W.D. and K.M. Peterson. 1980. Vegetational change and ice-wedge polygons through the thaw lake cycle in Arctic Alaska. *Arctic and Alpine Research*, 12(4):413-432.
- Bockheim, J. G., Hinkel, K. M., Nelson, F. E. University of Cincinnati, United States, University of Delaware, United States Predicting carbon storage in Tundra soils of Arctic Alaska.
- Bockheim, J.G., Walker, D.A., Everett, L.R. Soil carbon distribution in nonacidic and acidic tundra of arctic Alaska. 143-155, Symposium on Carbon Sequestration in Soils, Columbus, OH, July, 1996. Soil processes and the carbon cycle. Collected papers. Edited by R. Lal et al: Boca Raton, CRC Press LLC, 1998, 24 refs.
- Bolton, W.R., L.D. Hinzman, and K. Yoshikawa. 2000. Stream flow studies in a watershed underlain by discontinuous permafrost. In D.L. Kane (ed) Water Resources in Extreme Environments. American Water Resources Association Proceedings. 1-3 May 2000. Anchorage, AK 31-36.
- Bonan, G.B., 1996: A land surface model (LSM version 1.0) for ecological, hydrological, and atmospheric studies: technical description and user's guide. NCAR Tech. Note NCAR/TN-417+STR, 150.
- Bowden, W.B., Finlay, J.C., Maloney, E. Long-term effects of PO₄ fertilization on the distribution of bryophytes in an arctic river. *Freshwater Biology*, Oct. 1994, 32(2), 445-454.
- Bromwich, D.H., J.J. Cassano, T. Klein, G. Heinemann, K.M. Hines, K. Steffen, and J.E. Box, 2001: Mesoscale modeling of katabatic winds over Greenland with the Polar MM5. *Mon. Wea. Rev.*, 129, 2290-2309.
- Brown, J., Brockett, B.E., Howe, K.E., et al Interaction of gravel fills, surface drainage, and culverts with permafrost terrain. Alaska. Dept. of Transportation and Public Facilities. Report, Jan. 1984, AK-RD-84-11, 35, 24 refs.

- Burton, K. L., W. R. Rouse and L. D. Boudreau. 1996. Factors affecting the summer carbon dioxide budget of.
- Carlson, Robert F., Kane, Douglas L. Hydrology of Alaska's arctic. In Weller, Gunter and Bowling, Sue Ann, eds. Climate of the arctic .. Fairbanks, Alaska, University of Alaska, 1975, 367-73.
- Carmack, E.C., 1990. Large scale physical oceanography of Polar Seas. In Smith, W.O., ed., Polar Oceanography (A), Academic Press, New York, 171-222.
- Cassano, J.J., J.E. Box, D.H. Bromwich, L. Li, and K. Steffen, 2001: Evaluation of Polar MM5 simulations of Greenland's atmospheric circulation. *J. Geophys. Res.*, 106, 33867-33889.
- Chahine, M.T. 1992. The hydrologic cycle and its influence on climate. *Nature* 359:373.
- Chapin, F.S., R.L. Jeffries, J.F. Reynolds, G.R. Shaver, J. Svoboda, and E. Chu (eds), 1992. Arctic ecosystems in a changing climate. Academic Press, Inc., San Diego, CA., 469.
- Chapman, W.L. and J.E. Walsh, 1993. Recent variations of sea-ice and air temperatures in high latitudes. *Bulletin of the American Meteorological Society* 74 (1) 33.
- Chapman, W.L., W.J. Welch, K.P. Bowman, J. Sacks, and J.E. Walsh, 1994: Arctic sea ice variability: Model sensitivities and a multidecadal simulation. *J. Geophys. Res.*, 99, 919-935.
- Clein, J. S., Kicklighter, D. W., McGuire, A. D., Meier, R. A., Melillo, J. M., Serreze, Mark C., Vorosmarty, C. J. Modelling carbon responses of tundra ecosystems to historical and projected climate: sensitivity of pan-Arctic carbon storage to temporal and spatial variation in climate. *Global Change Biology*, 6, Suppl.1: 141-159.
- Collett, T S, Bird, K J. Cretaceous and Tertiary Sagavanirktok Formation in the Prudhoe Bay-Kuparuk River Area, northern Alaska. Circulars, United States Geological Survey, 1060:16-17. 1990.
- Committee on Earth Sciences. 1989. Our changing planet: the FY 1990 research plan. Office of Science and Technology Policy, Federal Coordinating Council on Science, Engineering, and Technology. 118.
- Cooper, L.W. Isotopic fractionation in snow cover 119-136, Isotope tracers in catchment hydrology. C. Kendall and J.J. McDonnell (eds) Amsterdam, Netherlands, Elsevier Science B.V., 1998, 133-136.
- Curatolo, J. Caribou response to the pipeline-road complex in the Kuparuk oilfield, Alaska Caribou and human activity : proceedings of the 1st North American Caribou Workshop, Whitehorse, Yukon, 28-29 September 1983: a special publication., (1983), 63.
- Curry, J.A. and A.H. Lynch, "Comparing Arctic Regional Climate Models", *EOS*, 87, vol. 83, (2002).
- Delworth, T. and S. Manabe. 1989. The influence of soil wetness on near surface atmospheric variability. *Journal of Climate*, 2(12):1447-1462.
- Desyatkin, R.V., N.S. Karpov, V.I. Zakharova, A.R. Desyatkin and L.D. Hinzman. Soil and vegetation covers on tundra polygon of the GAME Project in the vicinity of Tiksi. The Second International Workshop on Energy and Water Cycle in Siberia and GAME (GEWEX Asian Monsoon Experiment). Organized by Russian and Japanese National GAME Committees. November 26-28, 1997, Moscow, Russia.
- Dethloff, K., C. Abegg, A. Rinke, I. Hebestadt, and V.F. Romanov, 2001: Sensitivity of Arctic climate simulations to different boundary-layer parameterizations in a regional climate model. *Tellus*, 53A, 1-26.
- Dowdeswell, J. A. 1995. Glaciers in the High Arctic and recent environmental changes. In: Arctic and environmental change edited by Wadhams, J. A. Dowdeswell and A. N. Schofield, Gordon and Breach Publishers, 121-134.
- Drage, B., Gilman, J.F., Hoch, D., Griffiths, L. Hydrology of North Slope coastal plain streams. INTERNATIONAL CONFERENCE ON PERMAFROST, 4TH, FAIRBANKS, ALASKA, JULY 17-22, 1983. PROCEEDINGS, Washington, D.C. : National Academy Press, 1983, 249-254.
- Dudhia, J., 1993: A nonhydrostatic version of the Penn State – NCAR mesoscale model: Validation tests and simulation of an Atlantic cyclone and cold front. *Mon. Wea. Rev.*, 121, 1493-1513.

- Eaton, A. K., W. R. Rouse, M. Lafleur, Marsh, and Blanken. 2001. Surface energy balance of the western and central Canadian subarctic: variations in the energy balance among five major terrain types. *Journal of Climate*, (14)3692-3703.
- Edwardson, Kenneth J., Bowden, William B., Dahm, Cliff, Morrice, John. 2003. The hydraulic characteristics and geochemistry of hyporheic and parafluvial zones in Arctic tundra streams, North Slope, Alaska. *Advances in Water Resources*, 26 (9): 2003.
- Entekhabi, D., I. Rodriguez-Iturbe and F. Castelli. 1996. Mutual interactions of soil moisture state and atmospheric processes. *Journal of Hydrology*, 184:3-17.
- Eugster, W., J. McFadden, and F. S. Chapin III. 1997. A comparative approach to regional variation in surface fluxes using mobile eddy correlation towers. *Boundary-Layer Meteorology*, in press.
- Eugster W., W. R. Rouse, R. A. Pielke Sr., J. P. McFadden, D. D. Baldocchi, T. G. F. Kittel, F. S. Chapin III, G. E. Liston, P. L. Vidale, E. Vaganov, and S. Chambers, 2000: Land-atmosphere energy exchange in Arctic tundra and boreal forest: available data and feedbacks to climate. *Global Change Biology*, 6, Supplement I, (Supplement Title: High-Latitude Climate Feedbacks), 84-115.
- Ferretti, A., C. Prati and F. Rocca (2000). "Nonlinear Subsidence Rate Estimation Using Permanent Scatterers in Differential SAR Interferometry." *IEEE Transactions on Geoscience and Remote Sensing* 38(5): 2202-2212.
- GEOLOGY AND REGIONAL SETTING OF THE KUPARUK OIL FIELD, ALASKA. *Oil & Gas Journal*, Vol. 80, no. 47, page 153.
- Gieck, Robert E., Hinzman, Larry D., Kane, Douglas L., McNamara, James , Yang, Daqing Hydrologic response of nest of watersheds to an extreme rainfall event in northern Alaska. AWRA's 2000 spring specialty conference, Water resources in extreme environments: May 1-3, 2000: Anchorage, AK, United States.
- Goering, D. J., H. Chen, L. D. Hinzman and D. L. Kane. 1995. Removal of terrain effects from SAR satellite imagery of Alaskan tundra. *IEEE Transactions on Geoscience and Remote Sensing*, 33(1):185-194.
- Goering, D. J., H. Chen, L. D. Hinzman and D. L. Kane. 1995. Removal of Terrain Effects from SAR Satellite Imagery of Alaskan Tundra, *IEEE Transactions on Geoscience and Remote Sensing*, 33(1):185-194.
- Gordeev, V.V., J.M. Martin, I.V. Sidorov, and M.V. Sidorova, 1996. A reassessment of the Eurasian River input of water, sediment, major elements and nutrients to the Arctic Ocean. *American Journal of Science* 296 (6) 664.
- Grayson, R. and G. Bloschl (2001). *Spatial Patterns of Catchment Hydrology: Observations and Modelling*. Cambridge University Press, Cambridge, UK. 404 pgs.
- Gutowski, W. J., and W. Jiang, 1998. PBL regulation of the coupling between cumulus convection and baroclinic waves. *J. Atmos. Sci.*, 55, 940-953.
- Gutowski, W. J., J. W. Seidel, A. B. Ervin, 2001. Water transport by thin moist layers in Project Storm soundings. *Mon. Wea. Rev.*, 129, 167-172.
- Halgedahl, S L, Jarrard, R D. 1986. Paleomagnetism of the Kuparuk River Formation and plate motion of the Alaskan North Slope block. *Eos*, 67(44):921.
- Halgedahl, S, Jarrard, R. Paleomagnetism of the Kuparuk River from oriented drill core: evidence for rotation of the Arctic Alaska Plate. 581-617 in *Alaskan North Slope Geology, Volume 2* (Tailleur, I, Weimer, P). Bakersfield, California: Pacific Section, SEPM, Alaska Geological Society, 1987.
- Hall, D. K. and Roswell, C. 1981. The origin of water feeding icings on the eastern north slope of Alaska. *Polar Record*. 20.0128. 433-438.
- Harbert, William, Frei, Leah, Jarrard, Richard, Halgedahl, Susan, Engebretson, David, Grantz, Arthur, Johnson, L. Paleomagnetic and plate-tectonic constraints on the evolution of the Alaskan-eastern Siberian Arctic. *The Arctic*

- Ocean region, Boulder, CO. Geological Society of America, 1990, 567-592, ill., diags., tables, maps
Geographic Area: Arctic Ocean and adjacent waters, Arctic basin, Alaska, Russian Federation, former USSR.
- Harvey, C.J., Peterson, B.J., Bowden, W.B., Deegan, L.A., Finlay, J.C., Hershey, A.E., and Miller, M.C. "Organic matter dynamics in the Kuparuk River, a tundra river in Alaska, USA." *Journal of the North American Benthological Society* 16 (1997): 18-22.
- Hemming, Carl R. Experimental introduction of Arctic grayling to a rehabilitated gravel extraction site, North Slope, Alaska. *Fish ecology in Arctic North America*, Bethesda, MD. American Fisheries Society, 1997, 208-213
Geographic Area: Alaska, Alaska, northwestern.
- Hemming, Carl R. Tundra stream fish habitat investigations in the North Slope Oilfields. Juneau, Ak. Alaska Department of Fish and Game, 1993, vi, 64, tables, map, 28 cm, Alaska Department of Fish & Game, Habitat and Restoration Division, Technical Report 93-1.
- Hershey, Anne E. [and 11 others], Milner, Alexander M. *The Kuparuk River: a long-term study of biological and chemical processes in an Arctic River. Freshwaters of Alaska: ecological syntheses*, Berlin. Springer, 1996, 107-129.
- Hershey, A.E., Bowden, W.B., Deegan, L.A., Hobbie, J.E., Peterson, B.J., Kipphut, G.W., Kling, G.W., Lock, M.A., Merritt, R.W., Miller, M.C., Vestal, J.R., and Schuldt, J.A., "The Kuparuk River: A long-term study of biological and chemical processes in an arctic river," in *Freshwaters of Alaska*, edited by A. Milner and M. W. Oswood (NY: Springer-Verlag, 1997), 107-30.
- Hinzman L.D., K. Yoshikawa, D.L. Kane. 2001. Hydrologic Response and Feedbacks to a Warmer Climate in Arctic Regions. Second Wadati Conference on Global Change and Polar Climate. 7-9 March 2001. Tsukuba Japan.
- Hinzman Larry, Kenji Yoshikawa, Masami Fukuda, Vladimir Romanovsky, Kevin Petrone and William Bolton. 2001. Wildfire in the Subarctic Boreal Forests, Ecosystem Impacts and Response to a Warming Climate. *Tôhoku Geophysical Journal*. 36(2):230-232.
- Hinzman, L. D. and D. L. Kane. 1992. Potential response of an arctic watershed during a period of global warming. *Journal of Geophysical Research*, 97(D3):2811-2820.
- Hinzman, L. D., Kane, D. L., Yoshikawa, K., Carr, A., Bolton, W. R., Fraver, M. 2003. Swiss Federal Institute of Technology, Switzerland Hydrological variations among watersheds with varying degrees of permafrost. Eighth international conference on Permafrost: July 21-25, 2003: Zurich, Switzerland, International Conference on Permafrost, Proceedings, 8, Volume 1: 407-411.
- Hinzman, L.D. and D.L. Kane. 1991. Snow Hydrology of a Headwater Arctic Basin 2, Conceptual Analysis and Computer Modeling. *Water Resources Research*, 27(6):1111-1121.
- Hinzman, L.D. and D.L. Kane. 1992. Potential Response of an Arctic Watershed During a Period of Global Warming. *Journal of Geophysical Research - Atmospheres*, 97(D3):2811-2820.
- Hinzman, L.D. and D.L. Kane. 1992. Climatic Change Impacts on Water Resources in Arctic Alaska. Northern Research Basins Conference. Whitehorse, YT Canada.
- Hinzman, L.D. D.L. Kane, C.S. Benson, and K.R. Everett. 1996. Thermal and Hydrologic Processes in the Imnavait Creek Watershed. J. Reynolds and J. Tenhunen (eds) *Landscape Function: Implications for Ecosystem Response to Disturbance. A Case Study in Arctic Tundra*. Springer-Verlag, Ecologic Studies Series. 131-154.
- Hinzman, L.D. M.A. Nolan, D.L. Kane, C.S. Benson, M. Sturm, G.E. Liston, J. McNamara, A.T. Carr and D. Yang. 2000. Estimating Snowpack Distribution over a Large Arctic Watershed. In D.L. Kane (ed) *Water Resources in Extreme Environments*. American Water Resources Association Proceedings. 1-3 May 2000. Anchorage, AK 13-18.

- Hinzman, L.D., D.J. Goering and D.L. Kane. 1998. A distributed thermal model for calculating temperature profiles and depth of thaw in permafrost regions. *Journal of Geophysical Research - Atmospheres*. 103(D22):28,975-28,991.
- Hinzman, L.D., D.J. Goering, S. Li and T.C. Kinney. 1997. Numeric simulation of thermokarst formation during disturbance. Crawford, R. M. M. Ed., *Disturbance and recovery in Arctic lands: an ecological perspective*. Kluwer Academic Publishers. pp 199-212.
- Hinzman, L.D., D.L. Kane and K.R. Everett. 1993. Hillslope Hydrology in an Arctic Setting. Sixth International Conference on Permafrost. 5-9 July, 1993. Beijing, China.
- Hinzman, L.D., D.L. Kane and R.E. Gieck. 1991. Regional snow ablation in the Alaskan Arctic. in *Northern Hydrology, Selected Perspectives*, NHRI Symposium No. 6, eds. T.D. Prowse and C.S.H. Ommanney. Pub. by National Hydrology Research Institute. Saskatoon, Saskatchewan. 121-140.
- Hinzman, L.D., D.L. Kane, and Z. Zhang, 1995. A spatially distributed hydrologic model for arctic regions. International GEWEX Workshop on Cold-Season/Region Hydrometeorology. Summary Report and Proceedings. 22-26 May 1995, Banff, Alberta, Canada. Int. GEWEX Project Office Publication. Series, No. 15, Washington, D.C., 236-239.
- Hinzman, L.D., D.L. Kane, C.S. Benson, and K.R. Everett. 1991. Hydrologic and Thermal Properties of the Active Layer in the Alaskan Arctic. *Cold Regions Science and Technology*, 19(2):95-110.
- Hinzman, L.D., D.L. Kane, Yuji Kodama and Roman Desyatkin. 1999. Arctic Hydrology, a comparison of processes occurring in the Alaskan and Siberian Arctic. Third International Scientific Conference on the Global Energy and Water Cycle, Jointly with the Fourth Study Conference on GEWEX Asian Monsoon Experiment (GAME). 16-19 June, 1999. Beijing, China. 248-249.
- Hinzman, L.D., D.W. Robinson, and D.L. Kane. A Biogeochemical Survey of an Arctic Coastal Wetland. Seventh International Conference on Permafrost. Yellowknife, Canada. June 1998. pp 459-463.
- Hinzman, L.D., G. Wendler, R.E. Gieck, and D.L. Kane. 1992. Snowmelt at a small Alaskan arctic watershed 1. energy related processes. Northern Research Basins Conference. Whitehorse, YT Canada.
- Hinzman, Larry D., Goering, Doug, Kane, Douglas L. Mass transport and landscape scale in the Kuparuk River basin, Arctic Alaska. *Eos*, 1994, 75(44, supplement):77.
- Hobbie, J. E. Plant/soil modeling in Kuparuk basin. Toward an arctic system synthesis : results and recommendations from the ARCSS All-Hands Workshop, 30 April-3 May 1996, Snowbird Utah, (1998), 73.
- Hobbie, J.E., Kwiatkowski, B.L., Rastetter, E.B., Walker, D.A., McKane, R.B Carbon cycling in the Kuparuk basin: plant production, carbon storage, and sensitivity to future changes *Journal of Geophysical Research*, Nov. 27, 1998, 103(D22), 29,065-29,073.
- Hobbie, J.E., Kwiatkowski, B.L., Rastetter, E.B., Walker, D.A., and McKane, R.B. "Carbon cycling in the Kuparuk Basin: Plant production, carbon storage, and sensitivity to future changes." *Journal of Geophysical Research* 103 (1998): 29,065-29,073.
- Interagency Arctic Research Policy Committee, 1998. *Arctic Research of the United States*, 12.
- Janjic, Z.I., 1994: The step-mountain eta coordinate model: Further developments of the convection, viscous sublayer, and turbulence closure schemes. *Mon. Wea. Rev.*, 122, 927-945.
- Jeffries, M. O., K. Morris, and G. E. Liston, 1996: A method to determine lake depth and water availability on the North Slope of Alaska with spaceborne imaging radar and numerical ice growth modelling. *Arctic*, 49, 367-374.
- Jeffries, M. O., K. Morris, and G. E. Liston, 1996: Using spaceborne imaging radar to identify lake water resources on the Alaskan North Slope. In, *Cold Regions Engineering, The Cold Regions Infrastructure: An International Imperative for the 21st Century*, R. F. Carlson (ed.), American Society of Civil Engineers, New York, 855-865.

- Jiang, W., 1998. Coupling of Baroclinic Waves, Cumulus Convection, and Surface Processes. Ph.D. Thesis, Iowa State University.
- Jiang, W., and W. J. Gutowski, 2000. Moist baroclinic instability in the presence of surface-atmosphere coupling. *J. Atmos. Sci.* 57, 2923-2935.
- Jones, M. H. Early and late winter CO₂ efflux from Arctic tundra in the Kuparuk River watershed, Alaska, U.S.A Arctic, Antarctic and Alpine Research, vol. 31, no. 2, (May, 1999), 187-190 ISSN: 1523-0430.
- Jones, D., M. New, D.E. Parker, S. Martin, and I.G. Rigor, 1999. Surface air temperature and its changes over the past 150 years. *Review of Geophysics* 37 (2) 173.
- Jorgenson, M. Torre, Cater, Timothy C., Joyce, Michael R., Cheng Guodong, Zhu Yuanlin Use of snow capture for land rehabilitation in Arctic oilfields. International Conference on Permafrost, 6th, Beijing, China, 5-9 July 1993. Proceedings, Vol.1, Guangzhou. South China University of Technology Press, 1993, 316-321.
- Kane, D. L., L. D. Hinzman and J. Zarling. 1991. Thermal response of the active layer to climatic warming in a permafrost environment. *Cold Regions Science and Technology*, 19:111-122.
- Kane, D. L., R. E. Gieck and L. D. Hinzman. 1997. Snowmelt modeling at a small Alaskan arctic watershed. *ASCE Journal of Hydrologic Engineering*, 2(4):204-210.
- Kane, D.L. L.D. Hinzman, H. Yu and D.J. Goering. 1994. The Use of SAR satellite imagery to measure active layer moisture contents in Arctic Alaska. Tenth International Northern Research Basins Symposium and Workshop Spitsbergen, Norway. August 28- September 3, 1994.
- Kane, D.L., D.J. Soden, L.D. Hinzman and R.E. Gieck. 1998. Rainfall/Runoff storm response of a nested watershed in the Alaskan Arctic, Seventh International Permafrost Conference, Yellowknife, Canada. June 1998.
- Kane, D.L., K.M. Hinkel, D.J. Goering, L.D. Hinzman and S.I. Outcalt. 2001. Non-conductive Heat Transfer Associated with Frozen Soils. *Global and Planetary Change*, 29:275-292.
- Kane, D.L., L.D. Hinzman and E.K. Lilly. 1993. Use of Spatially Distributed Data to Model Arctic Hydrologic Processes. Sixth International Conference on Permafrost. 5-9 July, 1993. Beijing, China.
- Kane, D.L., L.D. Hinzman and J. Zarling. 1991. Thermal Response of the Active Layer in a Permafrost Environment to Climatic Warming. *Cold Regions Science and Technology*, 19(2):111-122.
- Kane, D.L., L.D. Hinzman, C.S. Benson and G. E. Liston. 1991. Snow Hydrology of a Headwater Arctic Basin 1, Physical Measurements and Process Studies. *Water Resources Research*, 27(6):1099-1109.
- Kane, D.L., L.D. Hinzman, H. Yu and D. J. Goering. 1996. The use of SAR satellite imagery to measure active layer moisture contents in Arctic Alaska. *Nordic Hydrology*, 27:25-38.
- Kane, D.L., L.D. Hinzman, J. McNamara, Z. Zhang and C.S. Benson. 2000. An Overview of a Nested Watershed Study in Arctic Alaska. *Nordic Hydrology*, 31(4/5):245-266.
- Kane, D.L., L.D. Hinzman, M.K. Woo, and K.R. Everett. 1992. Hydrology of the Arctic: Present and Future. in S. Chapin, R. Jeffries, G. Shaver, J. Reynolds, and J. Svaboda (eds) *Physiological Ecology of Arctic Plants: Implications for Climate Change*. Academic Press, Inc. p 35-57.
- Kane, D.L., R.E. Gieck, and L.D. Hinzman. 1997. Snowmelt modeling at small Alaskan arctic watershed. *ASCE Journal of Hydrologic Engineering*. 2(4):204-210.
- Kane, Douglas L., Mueller, George S. 2000. Remote data collection in climatologically extreme environments. AWRAs 2000 spring specialty conference, Water resources in extreme environments: May 1-3, 2000: Anchorage, AK, United States, American Water Resources Association Technical Publication Series TPS, 00-1, 321-325, Bethesda, MD.
- Karl, T. and R.W. Knight. 1995. Trend in high-frequency climate variability in the twentieth century. *Nature*. 377:217-220.

- Klene, A.E., Nelson, F.E., Shiklomanov, N.I. The N-Factor as a tool in geocryological mapping: Seasonal thaw in the Kuparuk River Basin, Alaska. *Physical Geography*, 22(6), 449-466.
- Klene, Anna E., Nelson, Frederick E., Nevins, John, Rogers, Don, Shiklomanov, Nikolay I. 2002. Southwest Texas State University, United States, Crandon High School, United States, Rogers High School, United States Permafrost science and secondary education: direct involvement of teachers and students in field research. 30th annual Binghamton geomorphology symposium: Nov. 12-14, 1999: Binghamton, NY, United States, *Geomorphology*, 47 (2-4): 275-287, Elsevier, Amsterdam, Netherlands.
- Klene, Anna E., Nelson, Frederick E., Shiklomanov, Nikolay I., Hinkel, Kenneth M. 2001. The N-factor in natural landscapes: variability of air and soil-surface temperatures, Kuparuk river basin, Alaska, U.S.A. *Arctic, Antarctic and Alpine Research*, 2001, 33(2):140-148.
- Klene, Anna. 2000. The N-factor in natural landscapes: relations between air and soil-surface temperatures in the Kuparuk River basin, Northern Alaska. *Publications in Climatology*, 53 (1): 85.
- Knudson, J.A., and L.D. Hinzman. 2000. Prediction of streamflow in an Alaskan watershed underlain by permafrost. In D.L. Kane (ed) *Water Resources in Extreme Environments*. American Water Resources Association Proceedings. 1-3 May 2000. Anchorage, AK 309-313.
- Kovacs, Austin. 1992. Glacier, river and sea ice blister observations. CRREL REPORT, 1992 14 pp.
- Kozlenko, N. and M. Jeffries (1999). Bathymetric mapping of shallow water in thaw lakes on the North Slope of Alaska with spaceborne imaging radar. *Arctic* 53(3): 306-316.
- Kriet, K., Peterson, B.J., Corliss, T.L., et al 1992. Water and sediment export of the upper Kuparuk River drainage of the North Slope of Alaska. *Hydrobiologia: the international journal on limnology and marine sciences*, 240(1-3), 71-81.
- Kriet, K., Peterson, B.J., and Corliss, T.L. "Water and sediment export of the Upper Kuparuk River drainage of the North Slope of Alaska." *Hydrobiologia* 240 (1992): 71-81. .
- KUPARUK OIL FIELD DEVELOPMENT FACTS. All-Alaska Weekly, December 18, 1981, page 8.
- Kuparuk River modular crossing, a monument to Arctic engineering. *Alaska Construction & Oil*, v. 23, no. 4, Apr. 1982, 22-24.
- Lachenbruch, A. H. and B. V. Marshall. 1986. Changing climate: Geothermal evidence from permafrost in the Alaskan Arctic. *Science*, 234:689-696.
- Lachenbruch, A.H., T.T. Cladouhos and R.W. Saltus. 1988. Permafrost temperatures and the changing climate. Fifth International Conference on Permafrost, 1988 August 2-5, Trondheim, Norway, 3:9-17.
- Lachenbruch, Arthur H., Galanis, S. Peter [Jr], Moses, Thomas H. [Jr], Galloway, John 1988. A thermal cross section for the permafrost and hydrate stability zones in the Kuparuk and Prudhoe Bay oil fields. U.S. Geological Survey. Circular, *Geologic studies in Alaska by the U.S. Geological Survey during 1987*, Denver, CO. US Geological Survey, 1988, 48-51 US Geological Survey Circular 1016.
- LAI Science Management Office, 1997. Arctic System Science Land-Atmosphere-Ice Interactions: A Plan for Action. Fairbanks, AK. 51.
- LAI Steering Committee. 1997. Arctic System Science, Land-Atmosphere-Ice Interactions, a plan for action. LAII Science Management Office, University of Alaska Fairbanks.
- Le Dizès, S., Kwiatkowski, B.L., Rastetter, E.B., Hope, A., Hobbie, J.E., Stow, D., and Daeschner, S. 2003. "Modeling biogeochemical responses of tundra ecosystems to temporal and spatial variations in climate in the Kuparuk River Basin (Alaska)." *Journal of Geophysical Research-Atmospheres* 108, no. D2 (2003): 8165, doi:10.1029/2001JD000960. .
- Leffingwell, E. de K. 1919. The Canning River region Northern Alaska. USGS prof. Paper 109. 251 .

- Li, S. Distributed modeling of thermal processes in the Kuparuk River Basin. Toward an arctic system synthesis: results and recommendations from the ARCSS All-Hands Workshop, 30 April-3 May 1996, Snowbird Utah, (1998), 85.
- Lilly, E.K., D.L. Kane, R.E. Gieck and L.D. Hinzman. Annual Water Balance for Three Nested Watersheds on the North Slope of Alaska. Seventh International Conference on Permafrost. Yellowknife, Canada. June 1998.
- Liston, G. E., and M. Sturm, 2002: Winter precipitation patterns in arctic Alaska determined from a blowing-snow model and snow-depth observations. *J. Hydrometeorology*, 3(6), 646-659.
- Liston, G. E., and M. Sturm, 1998: A snow-transport model for complex terrain. *J. Glaciol.*, 44(148), 498-516.
- Liston, G. E., J. P. McFadden, M. Sturm, and R. A. Pielke, Sr., 2002: Modeled changes in arctic tundra snow, energy, and moisture fluxes due to increased shrubs. *Global Change Biology*, 8, 17-32.
- Lobdell, J.E. 1986. The Kuparuk pingo site: a northern archaic hunting camp of the Arctic coastal plain, North Alaska. *Arctic*, v. 39(1):47-51.
- Lynch, A.H., F.S. Chapin III, L.D. Hinzman, W. Wu, E.K. Lilly, G. Vourlitis, E. Kim, 1999: Surface Energy Balance on the Arctic Tundra: Measurements and Models. *J. Clim.*, 12,:2585-2606.
- Lynch, A.H., S. McIlwaine, J. Beringer, and G.B. Bonan, 2001: An investigation of the sensitivity of a land surface model to climate change using a reduced form model. *Clim. Dyn.*, 17, 643-652.
- Lynch, A.H., W.L. Chapman, J.E. Walsh, and G. Weller, 1995: Development of a regional climate model of the western Arctic. *J. Clim.*, 8, 1555-1570.
- Mandelbrot, B.B. 1982. The fractal geometry of nature. W. H. Freeman, New York.
- Manikian, V. Pile driving and load tests in permafrost for the Kuparuk Pipeline System. International Conference on Permafrost, 4th, Fairbanks, Alaska, July 17-22, 1983, Washington, D.C.: National Academy Press, 1983, 804-810, figure, tables Geographic Area: Alaska, Kuparuk River region, Alaska.
- Marquardt, D.W., 1963: An algorithm for least-squares estimation of non-linear parameters. *J. Soc. Indus. A. Math.*, 11, 431-441.
- Marsh, P., C. Onclin, and N. Neumann. 2002. Water and energy fluxes in the lower Mackenzie Valley, 1994/95. *Atmosphere-Ocean*, 4, ____.
- Marsh, P., N. Neumann, C. Onclin, and M. Russell. 2001. A multi-year hydrologic data set: Mackenzie Delta region, NW Canada. Thirteenth International Northern Research Basins Symposium and Workshop, Kajander, J. (Saariselka Finland and Murmansk Russia. Finnish Environment Institute, Helsinki, Finland. 151-160.
- Marsh, P., N. Neumann, R. Essery, and J. Pomeroy. 1999. Model estimates of local scale advection of sensible heat over a patchy snow cover. IAHS Publication No. 256. Interactions between the cryosphere, climate and greenhouse gases. Tranter, M. R. Armstrong E. Brun G. Jones M. Sharp and M. Williams (Editors). Birmingham, UK. IAHS, UK. 103-110.
- McFadden, J. P., G. E. Liston, M. Sturm, R. A. Pielke, Sr., F. S. Chapin, III, 2001: Interactions of shrubs and snow in arctic tundra: measurements and models. In: Soil, Vegetation, Atmosphere Transfer Schemes and Large-Scale Hydrological Models, IAHS, Publication No. 270, 317-325.
- McKendrick, J. D. 1999. Arctic tundra recovery from crude oil after 24 years, Prudhoe Bay Agroborealis, vol. 31, no. 1, (Spring 1999), 28-35.
- McNamara, J, 1997. A nested watershed study in the Kuparuk River basin, Arctic Alaska: Streamflow, scaling, and drainage basin structure. Ph.D. dissertation, University of Alaska Fairbanks.
- McNamara, J. , D. L. Kane, and L. D. Hinzman. 1998. An analysis of streamflow hydrology in the Kuparuk River basin, Arctic Alaska: A nested watershed approach. *Journal of Hydrology*, 206:39-57.

- McNamara, J. , D. L. Kane, and L. D. Hinzman. 1998. Hydrograph separations in an Arctic watershed using mixing model and graphical techniques. *Water Resources Research*, 33(7): 1707-1719. .
- McNamara, J. , D. L. Kane, and L. D. Hinzman. 1999. An analysis of an arctic channel network using a digital elevation model. *Geomorphology*. 29:339-353.
- McNamara, J. , D. L. Kane, and L.D. Hinzman. 1997a. Hydrograph separations in an arctic watershed using mixing model and graphical techniques. *Water Resources Research*, 33(7):1707-1720.
- McNamara, J. , Kane, D.L., Hinzman, L.D. 1998. Analysis of streamflow hydrology in the Kuparuk River Basin, arctic Alaska: a nested watershed approach. *Journal of Hydrology*, 206(1-2), 39-57.
- McNamara, James. 2000. Bankfull flow, hydraulic geometry, and river ice in a northern river. AWRAs 2000 spring specialty conference, Water resources in extreme environments: May 1-3, 2000: Anchorage, AK, United States, American Water Resources Association Technical Publication Series TPS, 00-1, 191-196.
- McNamara, James , Kane, Douglas L., Hinzman, Larry D. 1999. An analysis of an arctic channel network using a digital elevation model. *Geomorphology*, 29. 3-4, 339-353.
- Meade, N. L.D. Hinzman and D.L. Kane. 1999. Spatial estimation of soil moisture using synthetic aperture radar in Alaska. *Advances in Space Research*. 24(7):935-940.
- Meade, N. G. The use of SAR imagery to predict soil moisture of the Kuparuk watershed-arctic Alaska. Toward an arctic system synthesis : results and recommendations from the ARCSS All-Hands Workshop, 30 April-3 May 1996, Snowbird Utah, (1998), 97.
- Mendez, J., L.D. Hinzman, D.L. Kane. 1998. Evapotranspiration from a wetland complex on the arctic coastal plain of Alaska. *Nordic Hydrology*. 29(4/5):303-330.
- Michaelson, G. J., C. L. Ping and J. M. Kimble. 1996. Carbon storage and distribution in tundra soils of Arctic Alaska, U. S. A. *Arctic and alpine Research*, 28(4):414-424.
- Miller, M.C., DeOliveira, , and Gibeau, G.G. "Epilithic diatom community response to years of PO₄ fertilization: Kuparuk River, Alaska (68 N Lat.)." *Hydrobiologia* 240 (1992): 103-120. .
- Montgomery, D. R., and W. E. Dietrich. 1992. Channel initiation and the problem of landscape scale. *Science*, 255: 826-830.
- National Research Council. 1991. Opportunities in the hydrologic sciences. National Academy Press, Washington DC, 348.
- Nellemann, C., Cameron, R.D. Cumulative impacts of an evolving oil-field complex on the distribution of calving caribou.
- Nellemann, C., Thomsen, M.G. Terrain ruggedness and caribou forage availability during snowmelt on the Arctic coastal plain, Alaska. *Arctic*, v. 47, no. 4, Dec. 1994, 361-367.
- Nelson, Frederick E.; Hinkel, Kenneth M. 2002. The Far North: a geographical perspective on permafrost environments. In A. Orme (ed) *The physical geography of North America*. pp. 249-269; Oxford Press, New York, NY.
- Nelson, F. E.; Shiklomanov, N. I.; Hinkel, K. M.; Brown, J. 2003. The Circumpolar Active Layer Monitoring (CALM) Program: recent developments. 8th international conference on Permafrost: July 20-25, 2003: Zurich, Switzerland; 113-114.
- Nelson, F.E., Shiklomanov, N.I.; Mueller, G.R. 1999. Variability of active-layer thickness at multiple spatial scales, north-central Alaska, U.S.A. *Arctic, Antarctic and Alpine Research*, 31(2):179-186.
- Nolan, Matt and Dennis R. Fatland, 2002. New topographic maps may stimulate advancements in the DInSAR measurement of soil moisture . *EOS* (the weekly)..

- Nolan, Matt, and Peter Prokein, 2002. Evaluation of a new DEM of the Putuligayuk Watershed for Arctic hydrological applications. *8th International Permafrost Conference*, Zurich, Switzerland, July 2003.
- Oechel, W. C., S. J. Hastings, G. Vourlitis, M. Jenkins, G. Riechers and N. Grulke. 1993. Recent changes of arctic tundra ecosystems from a net carbon dioxide sink to a source. *Nature*, 361:520-523.
- Oechel, W.C., G.L. Vourlitis, S.J. Hastings, R.C. Zulueta, L.D. Hinzman, D.L. Kane. 2000. Acclimation of ecosystem CO₂ exchange in the Alaskan Arctic in response to decadal climate warming. *Nature*. 406:978-981.
- Olsson, Peter Q, Larry D. Hinzman, Matthew, Glen Liston, Douglas L Kane. 2002. Surface Climate and Snow-Weather Relationships of the Kuparuk Basin on Alaska's Arctic Slope. ERDC/CRREL Technical Report TR-02-10. U.S. Army Corps of Engineers. 49 pps.
- Olsson, P. Q., M. Sturm, C. H. Racine, V. Romanovsky, and G. E. Liston, 2003: Five physically-defined stages of the Alaskan arctic cold season and some ecosystem implications. *Arctic, Antarctic and Alpine Research*, 35(1):74-81.
- Peterson, B.J., Bahr, M., Kling, G.W. Tracer investigation of nitrogen cycling in a pristine tundra river. *Canadian Journal of Fisheries and Aquatic Sciences*, Oct. 1997, 54(10), 2361-2367.
- Peterson, B.J., Corliss, T.L., Kriet, K., and Hobbie, J.E. "Nitrogen and phosphorus concentration and export for the Upper Kuparuk River on the North Slope of Alaska in 1980." *Hydrobiologia* 240 (1992): 61-69.
- Pinto, J.O., and J.A. Curry, 1997: Role of radiative transfer in the modeled mesoscale development of summertime arctic stratus. *J. Geophys. Res.*, 102, 6941-6952.
- Pinto, J.O., J.A. Curry, A.H. Lynch, O.G. Persson, 1999: Modeling clouds and radiation for the November 1997 period of SHEBA using a column climate model. *J. Geophys. Res.*, 104, 6661-6678.
- Quaternary Research, v. 45, 1996, 300-311, ill., 1 map Geographic Area: Nunavut, Alaska, Baffin Island, Nunavut, Frobisher Bay region, Nunavut, Kuparuk River, Alaska Canada, Northwest Territories, Baffin Island.
- Quinton, W. L. and Marsh. 1999. A conceptual framework for runoff generation in a permafrost environment. *Hydrological Processes*, 13, 2563-2581.
- Rabus, B., K. Echelmeyer, D. Trabant, and C. Benson. 1995. Recent changes of McCall Glacier, Alaska. *Annals of Glaciology* 21:231-239.
- Rawlinson, S.E. 1983. Guidebook to permafrost and related features, Prudhoe Bay, Alaska. Proc. Fourth International Conference on Permafrost. 18-22 July 1983. University of Alaska and National Academy of Sciences. Fairbanks, AK. 177.
- Reimnitz, E., Rodeick, C.A., Wolf, S.C. Strudel scour: a unique arctic marine geologic phenomenon. *Journal of Sedimentary Petrology*, v. 44, no. 2, June 1974, 409-420.
- Reimnitz, Erk, Rachold, Volker. 2002. Interactions of river discharge with sea ice in proximity of Arctic deltas: a review. *Polarforschung*, 70: 123-134.
- Rember, Robert Douglas Composition of dissolved and suspended matter transported by the Sagavanirktok, Kuparuk and Colville rivers in the Alaskan Arctic. 106, 2002, 2002 ISBN: 0-493-87090-3 Geographic Area: United States.
- Robinson, D. A. and K. F. Dewey. 1990. Recent secular variations in the extent of northern hemisphere snow cover. *Geophysical Research Letters*, 17:1557-1560.
- Rodriguez-Iturbe, I., E. Ijjasz-Vasquez, and R. L. Bras. 1992. Power law distributions of mass and energy in river basins. *Water Resources Research*, 28(4): 1809-1093.
- Roots, E. F. 1989. Climate change: High latitude regions. *Climate Change*, 15:223-253.
- Rovansek, R.J. D.L. Kane, L.D. Hinzman. 1993. Improving Estimates of Snowpack Water Equivalent using Double Sampling. Eastern Snow Conference. Quebec Canada.

- Rovansek, R.J., L.D. Hinzman, and D.L. Kane. 1996. Hydrology of a Tundra Wetland Complex on the Alaskan Arctic Coastal Plain. *Arctic and Alpine Research*. 28(3):311-317.
- SEARCH SSC. 2001. *SEARCH: Study of Environmental Arctic Change, Science Plan*. Seattle: Polar Science Center, University of Washington. 89 Available at: <http://psc.apl.washington.edu/search/>.
- Shiklomanov, N. I., Nelson, F. E. 2002. Active-layer mapping at regional scales: a 13-year spatial time series for the Kuparuk region, north-central Alaska. *Permafrost and Periglacial Processes*, 13 (3):219-230,.
- Shiklomanov, N.I., Nelson, F.E. 2003. Climatic variability in the Kuparuk region, north-central Alaska: optimizing spatial and temporal interpolation in a sparse observation network. *Arctic*, 2003, 56(2):136-146.
- Shiklomanov, N.I., Nelson, F.E. 2003. Climatic variability in the Kuparuk region, north-central Alaska: optimizing spatial and temporal interpolation in a sparse observation network. *Arctic*, v. 56, (2):136-146.
- Shiklomanov, Nikolay I. 2001. Active-layer thickness in the Kuparuk region, north-central Alaska: spatial time series analysis and stochastic modeling. 180.
- Slavik, K., Peterson, B.J., Deegan, L.A., Bowden, W.B., Hershey, A.E., and Hobbie, J.E. "Long-term responses of the Kuparuk River ecosystem to phosphorus fertilization." *Ecology* (In press.).
- Smith, W.T., Cameron, R.D. 1985. Reactions of large groups of caribou to a pipeline corridor on the Arctic coastal plain of Alaska. *Arctic*. 38(1):53-57.
- Smith, Walter T., Cameron, Raymond D., Reed, Daniel J. Alaska. Division of Wildlife Conservation. Distribution and movements of caribou in relation to roads and pipelines, Kuparuk development area, 1978-90. Alaska. Dept. of Fish and Game. Division of Wildlife Conservation. *Wildlife Technical Bulletin*, 1994, 12:vi, 1-54.
- Smyth, R.E. Kuparuk pipeline system features: unique river crossing structure. *Pipeline & Gas Journal*, Se 1982, 209(11), 23-27.
- Stieglitz, Marc, Giblin, Anne E., Hobbie, John, Williams, Mathew, Kling, George. 2000. Simulating the effects of climate change and climate variability on carbon dynamics in Arctic tundra. *Global Biogeochemical Cycles*, 2000, 14(4):1123-1136.
- Sturm, M., and G. E. Liston, 2003: The snow cover on lakes of the Arctic Coastal Plain of Alaska, U.S.A. *J. Glaciol.*, 49(166), 370-380.
- Sturm, M., G. E. Liston, C. S. Benson, and J. Holmgren, 2001: Characteristics and growth of a snowdrift in arctic Alaska. *Arctic, Antarctic and Alpine Research*, 33(3), 319-32.
- Sturm, M., J. P. McFadden, G. E. Liston, F. S. Chapin, III, C. H. Racine, and J. Holmgren, 2001: Snow-shrub interactions in arctic tundra: a hypothesis with climatic implications. *J. Climate*, 14(3), 336-344.
- Taras, Brian, Sturm, Matthew, Liston, Glen E. 2002. Snow-ground interface temperatures in the Kuparuk River basin, Arctic Alaska: measurements and model. *Journal of Hydrometeorology*, 3:377-394.
- Tarboten, D. G., R. L. Bras, and I. Rodriguez-Iturbe. 1988. The fractal nature of river networks. *Water Resour. Res.*, 24(8): 1317-1322.
- Toward an arctic system synthesis: results and recommendations from the ARCSS All-Hands Workshop, 30 April-3 May 1996, Snowbird Utah, (1998), 103.
- Truett, J.C. and S. R. Johnson. 2000. *The Natural History of an Arctic Oilfield, Development and Biota*. Academic Press. San Diego. 422 pp.
- U.S. Congress. 1984. Arctic research and policy act of 1984. Public Law 98-373.
- U.S. Geological Survey. Ground water Atlas of the United States Alaska, Hawaii, Puerto Rico and the U. S. Virgin Islands. http://ca.water.usgs.gov/gwa/ch_n/index.html.

- Villasenor, J.D., D.R. Fätland and L.D. Hinzman. 1993. Change Detection on Alaska's North Slope Using Repeat-pass ERS-1 SAR Images. *IEEE Transactions on Geoscience and Remote Sensing*. 31(1):227-236.
- Vörösmarty, C.J., L. Hinzman, B.J. Peterson, D.L. Bromwich, L. Hamilton, J. Morison, V. Romanovsky, M. Sturm, R. Webb. 2001. *The Hydrologic Cycle and its Role in Arctic and Global Environmental Change: A Rationale and Strategy for Synthesis Study*. ARCUS, Fairbanks AK. 84.
- Walker, D.A. [and 14 others] Energy and trace-gas fluxes across a soil pH boundary in the Arctic. *Nature*, 1998, 394(6692):469-472.
- Walker, D.A. and M.D. Walker. 1991. History and Pattern of disturbance in Alaskan arctic terrestrial ecosystems: a hierarchical approach to analyzing landscape change. *Journal of Applied Ecology*. 28:244-276.
- Walker, D.A. J. Webber, M.D. Walker, N.D. Lederer, R.H. Meehan, E.A. Nordstrand. 1986. Use of geobotanical maps and automated mapping techniques to examine cumulative impacts in the Prudhoe Bay Oilfield, Alaska. *Environmental Conservation*. 13:149-160.
- Washburn, L. A. 1979, *Geocryology. A survey of periglacial process and environments*. E. Arnold, London.
- Weller, G., F.S. Chapin, K.R. Everett, J.E. Hobbie, D. Kane, W.C. Oechel, C.L. Ping, W.S. Reeburg, D. Walker, and J. Walsh. 1995. The Arctic flux study: A regional view of trace gas release. *Journal of Biogeography*. 22:365-374.
- Yang, D., D.L. Kane, L.D. Hinzman, B.E. Goodison, J.R. Metcalfe, Y.T. Louie, G.H. Leavesley, D.G. Emerson and C.L. Hanson. 2000. An evaluation of the Wyoming gauge system for snowfall measurement. *Water Resources Research*. 36(9):2665-2677.
- Yang, D., D.L. Kane, L.D. Hinzman, R.E. Gieck, J. McNamara. 2000. Hydrologic response of a nest of watersheds to an extreme rainfall event in Northern Alaska. In D.L. Kane (ed) *Water Resources in Extreme Environments*. American Water Resources Association Proceedings. 1-3 May 2000. Anchorage, AK 25-30.
- Zhang, Z. D.L. Kane and L.D. Hinzman, 2000. Development and Application of a Spatially distributed arctic hydrological and thermal process model. *Journal of Hydrologic Processes*. 14(6):1017-1044.
- Zhang, Ziya, Kane, Douglas L., Hinzman, Larry D. 2000. Development and application of a spatially-distributed Arctic hydrological and thermal process model (ARHYTHM). *Hydrological Processes*, 14(6):1017-1044.
- Zimov, S. A., Y. V. Voropaev, I. Semiletov, S. Davidov, S. F. Prosiannikov, F. S. Chapin III, M. C. Chapin, S. Trumbore and S. Tyler. 1997. Northern Siberian lakes: A methane source fueled by pleistocene carbon. *Science*, 277:800-802.